Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040019392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 16:36
S2	6992	optimal with operat$4 with control$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:35
S3	9	optimal near operat$4 near control$4 and operation near efficien$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:02
S4	0	optimal near operat$4 near control$4 and temoerature with efficien$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:02
S5	0	optimal with operat$4 with control$4 and temoerature with efficien$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:02
S6	23	optimal near operat$4 near control$4 and temperature with efficien$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:06
S7	527	optimal near operat$4 and temperature with efficien$4 and cooling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:07
S8	205	optimal near operat$4 and temperature with efficien$4 and cooling and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:21
S9	6	optimal near operat$4 and temperature with efficien$4 and cooling and table with correlat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:07

S10	161	optimal near operat$4 and temperature with efficien$4 and cooling and table and @ad>"19950101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 13:22
S11	116	optimal with operat$4 with control$4 with plant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 17:37
S12	10	optimal near2 operat$4 near2 control$4 with plant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:38
S13	1	"5274571".PN.	USPAT; USOCR	OR	ON	2005/07/18 17:36
S14	36	optimal with operat$4 with control$4 with plant and state with process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 06:38
S15	895	water adj conveyance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 06:39
S16	899	water adj conveyanc$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 06:39
S17	3	water adj conveyanc$4 and optim$7 and pump$4 near station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 06:41
S18	416	cool$4 and optim$7 and pump$4 near station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 06:41
S19	5	cool$4 and optim$7 and pump$4 near station and look near up near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 06:42